

OPEN PIT MINE MONITORING SYSTEM



A laser-measurement-based monitoring system for long-range profiling of

- **open pit mines** (blasting, rock movements, worker security);
- **natural hazard areas** (rock falls, landslides, debris flow, glaciers);
- **construction sites** (infrastructure deformations, working areas, worker safety).

OPMMS automatically performs **continuous remote scanning** from designated permanent sites, comparing the obtained scans to a reference one and identifying **displacements and changes**.

Within the inspected region, manual on-the-fly analysis and output (statistics, inspection maps, classification charts, displacement and displacement rate graphs across time intervals) are possible. **Alerts and customisable notifications** are sent via email and SMS.

OPMMS is a complete solution that consists of a Teledyne M3 terrestrial laser scanner that is entirely controlled by processing software built into a dedicated control unit.



OPMMS is a **full solution** that includes:

- Teledyne M3 long-range laser scanner.
- Rugged control unit.
- Embedded software.

OPMMS compares the acquired scans to a reference one and detects **displacements** and **changes**. Full control of acquisitions frequency.

OPMMS gives you the possibility to create a **permanent setup** with multiple regions of interest (ROIs) at different resolutions.

OPMMS allows further data investigations, such as **volumetric computations** or planning and analysis of excavation processes.

BENEFITS

Keep under control movements of surfaces

Customize monitoring frequency and set notification thresholds, identify trends and watch multiple areas. Automatic notifications via E-mail and SMS⁽²⁾.

Manage risk and safeguard workers, underlying potential dangerous areas

Safely survey pit high walls, rock falls, landslides, and glaciers. Risky areas are reported to the supervisors who can plan further onsite analysis with geotechnical teams, engineers and topographic surveyors.

Check mines productivity

Compare accurate volumes and get the areas' 3D models.

Reliability

Maintain 24/7 surveillance in harsh situations to ensure safe mining operations.

STRENGTHS

- Automatic slope monitoring.
- Alert notifications via E-mail and SMS⁽²⁾.
- Full control of Teledyne M3 laser scanners.
- Intuitive monitoring parameters setting.
- No reference targets required.
- Setting of multiple ROIs to analyze multiple areas.
- Free reference scans setting by an interactive timeline of previous acquisitions.
- Comprehensive dashboard with statistics of changes and trends.
- Safe storage of monitoring 3D data.
- Direct connection with tools for deferred analysis (volumetric computations, profiles, cross-sections).

MAIN FEATURES

- Easy setting of scanning agenda.
- Automatic identification of changes in multi ROIs⁽¹⁾ based on user defined thresholds.
- Display the changes of the areas over the time.
- E-mail and SMS⁽²⁾ alert notifications when changes overcomes the user-defined thresholds.
- Remote access to the changed areas display⁽³⁾.
- Mask function to exclude areas where moving objects can interfere with the change detection.
- Real-time control of the laser scanner operations and its internal status.
- Customizable scheduler function to perform periodic lidar acquisitions.
- Possibility to select intermediate reference scans along the time sequence.
- Possibility to review the monitoring sequences in time.
- Possibility to setup multi monitoring ROIs.
- Configurable thresholds and alerts.
- Automatic alignment between sequential scans (control points not required).
- Post processing analysis by Reconstructor software.
- Reliable storage of internal database and 3D scans.

(1) ROI: region of interest, rectangular viewpoints where the lidar periodically acquires 3D data.

(2) E-mail alerts included. Alert text messages are provided on-demand and subject to the availability of a text messaging local service provider. Subscription fees and traffic costs are not included.

(3) Possibility to set up remote access to the OPMMS control unit to display the changes from remote PCs connected to the same subnet.

MAIN APPLICATIONS

Automatic Long-range Profiling

Automatic Alerts

Production Planning

Landslides Monitoring

Rock Falls Control

Volumetric Computations

Workers' Safety

Blasting Analysis

Rock Movements



Courtesy of China Molybdenum Co., Ltd



Reconstructor® ADD-ON

Advanced 3D point cloud analysis software

You can add Reconstructor to your OPMMS and get:

- Complete post-processing workflow for Lidar data from tripod, handheld, mobile sensors and UAV 3D point cloud.
- Powerful automatic target-less scans registration.
- Data export in several standard formats.
- Full compatibility with several third-party software and cloud platforms.
- Point cloud editing, color camera calibration, mesh and DTM generation, volume/cut&fill volume calculations, cross-sections and profiles extraction.



Gexcel Srl
Via Branze 45, I-25123 Brescia (Italy)
sales@gexcel.it | +39 030 6595001



M3 tech sheet

OPMMS and Reconstructor are Gexcel trademarks. All rights reserved.
M3 is a Teledyne-Optech trademark. All rights reserved.

Third-party hardware/software names included in these pages are trademarks. All rights reserved to the companies that own them. Gexcel is not affiliated with any of third-party hardware/software listed on these pages.

Official distributor contact:

